


QuikPazte


The few needed words (the quick manual)
Remember to donate if you like it!

Written By: Totte Alm - Code 66
totte@code66.se


When you start QuikPazte, this is the window you get. As you can see, you have no HotKeys configured yet. To add a HotKey, click on the [+]-button below the list.




Then you click on the [+]-button, this sheet will show up. To the left is a list of available function key HotKeys (F1-F9) each with three different modifier.




Now we type something in the text field, (the typo is intentional, to prove that this example in the manual is real).




We save the key after we have selected a trigger in the list on the left side. The sheet now closes, and we can see that we have our first HotKey in the list.




We now need to activate QuikPazte, make it respond to any pressed HotKeys. We do that by clicking on the [**Start**]-button, which now change caption to [**Stop**].




Now we start **TextEdit**, or any other application that can take a text pasting, like the **Terminal** (if we had entered some smart command line scripts as text).



A short note, QuikPazte can also be activated via the **File** menu and the **Active** command.



It's now time to test this. We have the cursor in the TextEdit window and press out HoyKey combination, in our case **[Option]+[Shift]+[F2]**, then **release** it, and look, the text we typed is now in TextEdit, and the spellchecker tells us we spelled it wrong too. Remember that the HotKey is triggered when you **release** the keys, not when you press them.



That's all folks!